



Age Recommendation:

Not for Children under 14 years

This is not a toy

※Specifications are subject to change without notice.



THR KIT

HIGH PERFORMANCE RC TRAIL TRUCK Model Ver. #60100300

- ★ Overall length 385mm
- ★ Overall width 205mm
- ★ Wheelbase 267mm
- ★ Metal transmission gear
- ★ TG98 tire 98x36x1.9"
- ★ GRC head&tail light
- ★ Aluminum shock set
- ★ Stainless link set
- ★ Stainless rockslider set
- ★ Full ball bearing
- ★ Pre-built F&R A162 axle set
- ★ Pre-built reducer box set
- ★ Pre-built transfer box set

CTS CHASSIS

NOTICE
OUTDOOR USE ONLY

14+

SELF



73000600
CTS Steel reducer propeller shaft



73000800
12mm Brass Hex Hub 6T (4)



73000900
12mm Brass Hex Hub 8T (4)



73001300
Alum. Servo arm 25T



73001200
CTS Carbon body adapter set



73000200
5.8X7 Ball end (10)

CTS CHASSIS



@twsrcofficial @twsrcofficial @twsrcofficial



TWS Model Co., Ltd.
tws-rc.com

MADE IN TAIWAN



Age Recommendation:

Not for Children under 14 years

This is not a toy

※Specifications are subject to change without notice.

14+



CTS
CHASSIS



@twsrc_official @twsrcofficial @twsrcofficial



TWS Model Co., Ltd.
tws-rc.com

MADE IN TAIWAN



INCLUDED

76000400
GRC 18mm round lamp set




71001400
CNC Bevel gear set 13T&26T



INCLUDED

76000500
GRC 18mm square lamp set



71001500
CNC Locker pool



70200100
STT90 30x90x1.9" truck tire (2)



STT90 VS TG98



INCLUDED

70200110
TG98 36x98x1.9" truck tire (2)



Age Recommendation:

Not for Children under 14 years

This is not a toy

※Specifications are subject to change without notice.



CTS
CHASSIS



@twsrc.official @twsrcofficial @twsrcofficial



TWS Model Co., Ltd.
tws-rc.com

MADE IN TAIWAN



70201100
Stainless antenna set (2)



73001600
CTS Alum. Rockslider mount (4)





73001700
CTS Carbon ESC tray




Motor Type : 540 Size, Brushed
Turns : 13T
Rotor : 5-Slot
Dimensions : 54.5mm X Ø36mm
Weight : 160g
Motor Shaft : Ø3.16mm
Cells : 2-3S LiPo / 6-9 Cell NiMH
KV Rating : 2250KV
(16650RPM@2S / 25000RPM@3S)
NOTICE :
Procedures, which if not properly followed,
create a possibility of physical property damage
and a little or no possibility of injury.


76000200
Brushed motor 540 5S-13T



71000700
Soft shock spring 43mm (4)



71000700
Soft shock spring 43mm (4)



71002800
Super soft shock spring 44mm (4)
included in THR kit